

10 / 540770

Rec'd PCT/PTO 24 JUN 2005

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date
15 July 2004 (15.07.2004)

PCT

(10) International Publication Number
WO 2004/058695 A1

(51) International Patent Classification⁷: C07C 305/00,
303/24, C07D 501/00

Lupin Limited (Research Park), 46A/47A, Nande Village,
Taluka Mulshi, Pune 411 042, Maharashtra (IN).

(21) International Application Number:
PCT/IN2002/000245

(74) Agents: MAJUMDAR, S. et al.; S. Majumdar & Co., 5,
Harish Mukherjee Road, Calcutta 700 025 (IN).

(22) International Filing Date:
26 December 2002 (26.12.2002)

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN,
YU, ZA, ZM, ZW.

(25) Filing Language: English

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK,
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).




(26) Publication Language: English

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NOVEL INTERMEDIATES FOR SYNTHESIS OF CEPHALOSPORINS AND PROCESS FOR PREPARATION OF SUCH INTERMEDIATES



WO 2004/058695 A1

(57) Abstract: A novel 4-halo-2-oxyimino-3-oxo butyric acid-N, N-dimethyl formiminium chloride chlorosulfate of formula (I) useful in the preparation of cephalosporin antibiotics, wherein X is chlorine or bromine; R is hydrogen, C₁₋₄ alkyl group, an easily removable hydroxyl protective group, -CH₂COOR₅, or -C(CH₃)₂COOR₅, wherein R₅ is hydrogen or an easily hydrolysable ester group. The compound of formula (I) is prepared by reacting 4-halo-2-oxyimino-3-oxobutyric acid of formula (IV¹), wherein X, R and R₅ are as defined above, with N, N-dimethylformiminium chloride chlorosulphate of formula (VII), in an organic solvent at a temperature ranging from -30 °C to -15 °C. The cephalosporins that may be prepared from the intermediate include cefdinir, cefditoren pivoxil, cefepime, cefetamet pivoxil, cefixime, cefmenoxime, cefodizime, cefoselis, cefotaxime, cefpirome, cefpodoxime proxetil, cefquinome, ceftazidime, ceftoram pivoxil, ceftiofur, ceftizoxime, ceftriaxone and cefuzonam.